





# Wrangler Limited

Expert Engery-Saving



<http://www.wranglerltd.com>

## LED ceiling light quotation

Model	Size (MM)	LED Qty	Color	Current (MA)	Brightness (LM)	Material	Beam Angle (Degree)	LED Chip	Ceiling space	Input (V)	
WRI-01W1	Φ90 H85	3*1W	White	300MA	240	Aluminium	15°30°60°	EPISTAR	≤20M	AC120/ 230V	
WRI-01W2		3*1W	Warm white	300MA	210	Aluminium	15°30°60°				
WRI-01W1E		3*1W	White	300MA	270	Aluminium	15°30°60°	EIDSON			
WRI-01W2E		3*1W	Warm white	300MA	240	Aluminium	15°30°60°				
WRI-01W1C		3*1W	White	300MA	300	Aluminium	15°30°60°	CREE Q4			
WRI-01W2C		3*1W	Warm white	300MA	290	Aluminium	15°30°60°				
Model	Size (MM)	LED Qty	Color	Current (MA)	Brightness (LM)	Material	Beam Angle (Degree)	LED Chip	Ceiling space	Input (V)	
WRI-01	Φ90 H102	3*3W	White	700MA	380	Aluminium	15°30°60°	EPISTAR	≤20M	AC120/ 230V	
WRI-01W		3*3W	Warm white	700MA	360	Aluminium	15°30°60°				
WRI-01E		3*3W	White	700MA	390	Aluminium	15°30°60°	EIDSON			
WRI-01WE		3*3W	Warm white	700MA	370	Aluminium	15°30°60°				
WRI-01C		3*3W	White	700MA	410	Aluminium	15°30°60°	CREE P3			
WRI-01WC		3*3W	Warm white	700MA	400	Aluminium	15°30°60°				
Model	Size (MM)	LED Qty	Color	Current (MA)	Brightness (LM)	Material	Beam Angle (Degree)	LED Chip	Ceiling space	Input (V)	
WRI-02W1	Φ103 H100	5*1W	White	300MA	400	Aluminium	15°30°60°	EPISTAR	≤20M	AC120/ 230V	
WRI-02W2		5*1W	Warm white	300MA	380	Aluminium	15°30°60°				
WRI-02W1E		5*1W	White	300MA	410	Aluminium	15°30°60°	EIDSON			
WRI-02W2E		5*1W	Warm white	300MA	390	Aluminium	15°30°60°				
WRI-02W1C		5*1W	White	300MA	500	Aluminium	15°30°60°	CREE Q4			
WRI-02W2C		5*1W	Warm white	300MA	480	Aluminium	15°30°60°				
Model	Size (MM)	LED Qty	Color	Current (MA)	Brightness (LM)	Material	Beam Angle (Degree)	LED Chip	Ceiling space	Input (V)	
WRI-03W1		7*1W	White	300MA	560	Aluminium	15°30°60°	EPISTAR			
WRI-03W2		7*1W	Warm white	300MA	540	Aluminium	15°30°60°				

WRI-03W1E	Φ105 H107	7*1W	White	300MA	580	Aluminium	15°30°60°	EIDSON	≤20M	AC120/ 230V	
WRI-03W2E		7*1W	Warm white	300MA	560	Aluminium	15°30°60°				
WRI-03W1C		7*1W	White	300MA	700	Aluminium	15°30°60°	CREE			
WRI-03W2C		7*1W	Warm white	300MA	680	Aluminium	15°30°60°	Q4			
Model	Size (MM)	LED Qty	Color	Current (MA)	Brightness (LM)	Material	Beam Angle (Degree)	LED Chip	Ceiling space	Input (V)	
WRI-04W1	Φ145 H95	9*1W	White	300MA	700	Aluminium	15°30°60°	EPISTAR	≤20M	AC120/ 230V	
WRI-04W2		9*1W	Warm white	300MA	680	Aluminium	15°30°60°	EIDSON			
WRI-04W1E		9*1W	White	300MA	710	Aluminium	15°30°60°				
WRI-04W2E		9*1W	Warm white	300MA	690	Aluminium	15°30°60°				
WRI-04W1C		9*1W	White	300MA	900	Aluminium	15°30°60°	CREE			
WRI-04W2C		9*1W	Warm white	300MA	870	Aluminium	15°30°60°	Q4			
Model	Size (MM)	LED Qty	Color	Current (MA)	Brightness (LM)	Material	Beam Angle (Degree)	LED Chip	Ceiling space	Input (V)	
WRI-05W1	Φ145 H95	12*1W	White	300MA	900	Aluminium	15°30°60°	EPISTAR	≤20M	AC120/ 230V	
WRI-05W2		12*1W	Warm white	300MA	880	Aluminium	15°30°60°	EIDSON			
WRI-05W1E		12*1W	White	300MA	910	Aluminium	15°30°60°				
WRI-05W2E		12*1W	Warm white	300MA	890	Aluminium	15°30°60°				
WRI-05W1C		12*1W	White	300MA	1200	Aluminium	15°30°60°	CREE			
WRI-05W2C		12*1W	Warm white	300MA	1100	Aluminium	15°30°60°	Q4			
Model	Size (MM)	LED Qty	Color	Current (MA)	Brightness (LM)	Material	Beam Angle (Degree)	LED Chip	Ceiling space	Input (V)	
WRI-06W1	L95 W95 H87	3*1W	White	300MA	240	Aluminium	15°30°60°	EPISTAR	≤20M	AC120/ 230V	
WRI-06W2		3*1W	Warm white	300MA	210	Aluminium	15°30°60°	EIDSON			
WRI-06W1E		3*1W	White	300MA	270	Aluminium	15°30°60°				
WRI-06W2E		3*1W	Warm white	300MA	240	Aluminium	15°30°60°				
WRI-06W1C		3*1W	White	300MA	300	Aluminium	15°30°60°	CREE			
WRI-06W2C		3*1W	Warm white	300MA	290	Aluminium	15°30°60°	Q4			
Model	Size (MM)	LED Qty	Color	Current (MA)	Brightness (LM)	Material	Beam Angle (Degree)	LED Chip	Ceiling space	Input (V)	
WRI-07W1	L173 W93 H87	6*1W	White	300MA	470	Aluminium	15°30°60°	EPISTAR	≤20M	AC120/ 230V	
WRI-07W2		6*1W	Warm white	300MA	450	Aluminium	15°30°60°	EIDSON			
WRI-07WE		6*1W	White	300MA	480	Aluminium	15°30°60°				
WRI-07WE		6*1W	Warm white	300MA	460	Aluminium	15°30°60°				
WRI-07WC		6*1W	White	300MA	600	Aluminium	15°30°60°	CREE			
WRI-07WC		6*1W	Warm white	300MA	570	Aluminium	15°30°60°	Q4			

Model	Size (MM)	LED Qty	Color	Current (MA)	Brightness (LM)	Material	Beam Ange (Degree)	LED Chip	Ceiling space	Input (V)
WRI-08W1	L260 W93 H87	9*1W	White	300MA	700	Aluminium	15°30°60°	EPISTAR	≤20M	AC120/ 230V
WRI-08W2		9*1W	Warm white	300MA	680	Aluminium	15°30°60°			
WRI-08WE		9*1W	White	300MA	710	Aluminium	15°30°60°	EIDSON		
WRI-08WE		9*1W	Warm white	300MA	690	Aluminium	15°30°60°			
WRI-08WC		9*1W	White	300MA	900	Aluminium	15°30°60°	CREE Q4		
WRI-08WC		9*1W	Warm white	300MA	870	Aluminium	15°30°60°			



**REMARK:**

- 1.CE&ROHS certificate
- 2.FOB SHENZHEN
3. MOQ:100PCS
4. Post Warranty:24months